

SUMMIT MEDICAL GROUP

1 Diamond Hill Road
Berkeley Heights, NJ 07922
LABORATORY DEPARTMENT

31D0116144
Gordana Katava, DO

Name/DOB: TESTPATIENT, MARGUERITE (6/14/1995)	Sex: F	Fasting:	Provider: Provider Test
Patient ID: EH3	Age: 24	Home Chart Location:	Draw Location: BH_1Diamond_LAB
Phone number: (908) 273-4344	Encounter ID:		Case Number: 2016202006
Procedure Date: 6/10/2020 4:23 PM			Technician: Kahul Patel
Approval date: 6/10/2020 4:26 PM			Entered by: Kahul Patel

TEST NAME	RESULT		UNITS	REFERENCE RANGE
	IN RANGE	OUT OF RANGE		

COVID-19 Antigen

KP

COVID-19 Antigen

06/10/20 4:25 PM

NEGATIVE

A negative test result does not rule out the possibility of an infection with SARS-CoV-2. Serum or plasma samples from the early (pre-seroconversion) phase of illness can yield negative findings. Therefore, this test cannot be used to diagnose an acute infection. Testing with molecular diagnostic should be performed to evaluate for active infection in symptomatic individuals. It is not known at this time if the presence of antibodies to SARS-CoV-2 confers immunity to reinfection. False positive results for the test may occur due to cross-reactivity. The Siemens Covid-19 Total Antibody test was developed, and its performance characteristics determined by Siemens for the Vista 1500. The FDA has authorized this test for EUA.